



ODL020/24/01 - **Led Underground Light**
Outdoor Architectural Lighting




Underground spotlight





OUTDOOR UNDERGROUND MINI LED SPOTLIGHT
 STAINLESS STEEL 316 COVER
 COPPER LAMP CASING
 CHROME PLATED
 1W / 3W LED
 10/20/30/45/60 DEGREE LENSE


IP67 WATERPROOF
 220V / DC 12/24V
 INPUT OPTIONAL
 SUPPLIED WITH INSTALLATION CASE
 AND EXTERNAL OR BUILT-IN POWER-SUPPLY




code **UNIODL020** stainless steel 316 cover / brass heat sink / aluminum installation case
 casing stainless steel+brass/ lamping LED 1W / Ra>80 /70LM / Beam 10/20/30 degree / 2700K/3000K/4000K/6000K red / green / blue /
 installation    **IP67** supplied with external 100-240V input Ip67 LED driver /check installation in next page







code **UNIODL024** stainless steel 316 cover / brass heat sink / aluminum installation case
 casing stainless steel+brass/ lamping LED 3W / Ra>80 /120LM / Beam 15/30/45/60 degree / 2700K/3000K/4000K/6000K/red / green / blue
 installation    **IP67** supplied with external 100-240V input Ip67 LED driver /check installation in next page




code **UNIODL001** aluminum cover / aluminum heat sink / aluminum installation case
 casing aluminum / lamping LED 3W / Ra>80 /120LM / Beam 15/30/45/60 degree / 2700K/3000K/4000K/6000K/red / green / blue / RGB
 installation    **IP67** supplied with external 100-240V input Ip67 LED driver /check installation in next page



code **UNIODL020-IN12** stainless steel 316 cover / aluminum heat sink / aluminum installation case
 casing stainless steel+aluminum/ lamping LED 1W / Ra>80 /70LM / Beam 10/20/30 degree / 2700K/3000K/4000K/6000K/red / green / blue
 installation    **IP67** supplied with built-in DC 12/24V input LED driver /check installation in next page



code **UNIODL024-IN12** stainless steel 316 cover / brass heat sink / aluminum installation case
 casing stainless steel+aluminum / lamping LED 3W / Ra>80 /120LM / Beam 15/30/45/60 degree / 2700K/3000K/4000K/6000K/red / green / blue
 installation    **IP67** supplied with built-in DC 12/24V input LED driver /check installation in next page




code **UNIODL001-IN12** aluminum cover / aluminum heat sink / aluminum installation case
 casing aluminum / lamping LED 3W / Ra>80 /120LM / Beam 15/30/45/60 degree / 2700K/3000K/4000K/6000K/red / green / blue / RGB
 installation    **IP67** supplied with built-in DC 12/24V input LED driver /check installation in next page

Underground spotlight



UNIODL020 / UNIODL024 / UNIODL001 installation

ODL020 / ODL024 / ODL001
Single lamp installation





UNIODL024 / UNIODL001 installation in series

Lamps in a series circuit




UNIODL020 installation in series

Lamps in a series circuit



UNIODL020-IN12 / UNIODL024-IN12 / UNIODL001-IN12 installation



Lamp in a parallel circuit

