

ODL031/32/33 - **Led Underground Light**  
Outdoor Architectural Lighting



UNITECH  
DIGITALMEDIA

# Underground spotlight



## 12V / 24V / 220V INPUT UNDERGROUND SPOTLIGHT




code **UNIODL031** Stainless steel 316 cover / aluminum heat sink / aluminum installation case  
 casing aluminum+stainless steel / lamping LED 3W / Ra>80 / 210LM / Beam 15/30/60 degree / 2700K/3000K/4000K/6000K red / green / blue  
 installation    **IP67** supplied with external 100-240V input Ip67 LED driver /check installation in next page






code **UNIODL032** Stainless steel 316 cover / aluminum heat sink / aluminum installation case  
 casing aluminum+stainless steel / lamping LED 6W / Ra>80 / 420LM / Beam 15/30/60 degree / 2700K/3000K/4000K/6000K red / green / blue  
 installation    **IP67** supplied with external 100-240V input Ip67 LED driver /check installation in next page



code **UNIODL033** Stainless steel 316 cover / aluminum heat sink / aluminum installation case  
 casing aluminum+stainless steel / lamping LED 9W / Ra>80 / 630LM / Beam 15/30/60 degree / 2700K/3000K/4000K/6000K red / green / blue  
 installation    **IP67** supplied with external 100-240V input Ip67 LED driver /check installation in next page






code **UNIODL031-IN12** Stainless steel 316 cover / aluminum heat sink / aluminum installation case  
 casing aluminum+stainless steel / lamping LED 3W / Ra>80 / 210LM / Beam 15/30/60 degree / 2700K/3000K/4000K/6000K red / green / blue  
 installation    **IP67** supplied with built-in DC 12/24V input LED driver /check installation in next page




code **UNIODL032-IN12** Stainless steel 316 cover / aluminum heat sink / aluminum installation case  
 casing aluminum+stainless steel / lamping LED 6W / Ra>80 / 420LM / Beam 15/30/60 degree / 2700K/3000K/4000K/6000K red / green / blue  
 installation    **IP67** supplied with built-in DC 12/24V input LED driver /check installation in next page




code **UNIODL033-IN12** Stainless steel 316 cover / aluminum heat sink / aluminum installation case  
 casing aluminum+stainless steel / lamping LED 9W / Ra>80 / 630LM / Beam 15/30/60 degree / 2700K/3000K/4000K/6000K red / green / blue  
 installation    **IP67** supplied with built-in DC 12/24V input LED driver /check installation in next page

# Underground spotlight


## UNIODL031 installation



## UNIODL031-IN12 / UNIODL32-IN12 / UNIODL033-IN12 installation



## UNIODL032 / UNIODL33 installation



### Lamp in a parallel circuit

